

FirstNet Reason For Visit

AAA	Anuria	Bodyaches	Confusion	Dislocated toe
Abd distention	Anxiety	Bradycardia	Constipation	Dissecting AAA
Abd pain	AOB	BRB per rectum	Convulsion	Dizziness
Abnormal gait	Aphasia	Breast problem	Cool extremity	Dog bite
Abnormal lab test	Apnea	Burn	Corneal abrasion	Double vision
Abrasion	Arm abrasion	Burn, arm(s)	Cough	Dressing Change
Abscess	Arm dislocation	Burn, back	CPR	Drug OD
Abscess, arm	Arm fx	Burn, buttocks	Croup	Drug withdrawal
Abscess, buttocks	Arm fx / dislocation	Burn, chest	Cyst	DVT
Abscess, foot	Arm injury	Burn, face	Decompression Injury	Dyspnea
Abscess, hand	Arm pain	Burn, foot	Decreased appetite	Dystonic reaction
Abscess, leg	Arm pain/swelling	Burn, groin	Decreased LOC	Dysuria
Abscess, multiple	Arm swelling	Burn, hand(s)	Decubitus ulcer	Ear laceration
Abscess, shoulder	Arterial bleed	Burn, leg(s)	Dehydration	Ear pain
Agitation	Arterial perforation	Burn, neck	Delivery	Ectopic pregnancy
Alcohol withdrawal	ASA OD	Car vs. ped	Dementia	Edema
Allergic reaction	Assault	Cardiac arrest	Dental pain	Edema, leg(s)
Altercation	Asthma	Cardiac device problem	Depression	Elbow injury
Altered gait	Auditory hallucinations	Cat bite	Developmental delay	Elbow pain
Altered mental status	Auto vs. Ped	Cellulitis	Dialysis shunt problem	Elbow pain/swelling
Amputation	Back injury	Cellulitis, face	Diarrhea	Elbow swelling
Amputation, arm	Back pain	Cellulitis, hand	Difficulty swallowing	Electrical burn
Amputation, finger(s)	Bat bite	Cellulitis, leg	Digoxin level high	Electrocution
Amputation, foot	Bee sting	Cellulitis, periorbital	Discharge from ear	Elevated digoxin level
Amputation, hand	Benzo ingestion	Cervical pain	Discharge from eye	Elevated dilantin level
Amputation, leg	Benzo OD	Cervical spine injury	Discharge from nose	Emesis
Amputation, toe(s)	Bicycle accident	Chemical burn	Dislocated ankle	Epidural abscess
Anemia	Bipolar	Chemical exposure	Dislocated elbow	Epidural hematoma
Animal bite	Bite/sting	Chest pain	Dislocated finger	Epigastric pain
Ankle injury	Bizarre behavior	CHI	Dislocated hip	Epistaxis
Ankle pain	Blisters	Choking	Dislocated knee	ETOH use
Ankle pain/swelling	Blood born exposure	CO exposure	Dislocated shoulder	ETOH withdrawal
Ankle swelling	Blood in urine	Combative behavior	Dislocated thumb	Excessive thirst

FirstNet Reason For Visit

Exposure	Foot injury	Hearing impairment	Inhalation injury	Lithium OD
Extremity Injury	Foot pain	Hearing loss	Insect bite	Manic behavior
Eye drainage	Foot pain/swelling	Heartburn	Insomnia	MCC
Eye pain	Foot swelling	Heat exposure	Intraparenchymal bleed	Med eval
Eye problem	Forearm injury	Hematuria	Irritability	Medication refill
Face injury	Forearm pain	Hemoptysis	Itching	Mental illness
Facial abrasion	Forearm pain/swelling	Hemorrhoids	Jaundiced	Methadone OD
Facial burn	Forearm swelling	Hepatitis exposure	Jaw pain	Mouth pain
Facial droop	Frostbite	Hernia	Kidney Stones	Mouth ulcer
Facial injury	Gait difficulty	HI	Knee injury	Multiple complaints
Facial pain	Gallstones	Hiccups	Knee pain	MVC
Facial swelling	Generalized pain	Hip injury	Knee pain/swelling	N&V
Facial weakness	GI bleed	Hip pain	Knee swelling	Narcotic withdrawal
Failure to thrive	Globe rupture	Hip pain-swelling	Labor	Nasal injury
Fall	Grave disability	HOD	Laceration	Nausea
Fall from standing	Groin pain	HTN	Laceration, arm	Near drowning
Fall off ladder	GSW, abd	HTN, pregnancy	Laceration, ear	Neck injury
Fatigue	GSW, arm	Human bite	Laceration, eye	Neck pain
FB, ear	GSW, back	Hyperglycemia	Laceration, finger	Neck swelling
FB, eye	GSW, buttocks	Hyperkalemia	Laceration, foot	Nosebleed
FB, nose	GSW, chest	Hyperthermia	Laceration, hand	NSAID OD
FB, rectum	GSW, foot	Hyperventilating	Laceration, leg	NSTI
FB, throat	GSW, hand	Hypoglycemia	Laceration, lip	Occupational exposure
FB, vagina	GSW, head	Hypokalemia	Laceration, mouth	Ocular pain
Febrile	GSW, leg	Hypothermia	Laceration, multiple	OD
Fever	GSW, multiple	I&D	Laceration, neck	Oliguria
Fever SCCA	GSW, neck	ICH	Laceration, thumb	OOC behavior
Finger injury	Hand injury	Incontinence	Laceration, wrist	Opiate OD
Finger pain	Hand pain	Increased thirst	Leg fx/dislocation	Opiate withdrawal
Finger pain/swelling	Hand pain/swelling	Indigestion	Leg injury	Oral lesions
Finger swelling	Hand swelling	Infected wound	Leg pain	Oral pain
Fingernail avulsion	HAS	Infestation	Leg pain/swelling	Pacer problem
Flank pain	Head abrasion	Inguinal hernia	Leg swelling	Pain on urination


FirstNet Reason For Visit

Focal motor weakness	Headache	Inguinal pain	Lethargic	Palpitations
Panic attack	R/O NSTI	Shoulder injury	SW, hand	Unsteady gait
Paralysis	R/O rejection	Shoulder pain	SW, head	Urethral discharge
Paranoia	R/O Sepsis	Shoulder pain/swelling	SW, leg	URI
Paranoid behavior	R/O STD	Shoulder swelling	SW, multi sites	Urinary retention
Paresthesia	R/O TB	SI	SW, neck	Uterine prolapse
PCP intoxication	Rash	SI/HI	Swallowed FB	Vaginal bleeding
PEG tube problem	Rectal abscess	Sickle cell crisis	Syncope	Vaginal bleeding < 20 wks
Pelvic Fx	Rectal bleeding	Skin lesion	Tachyarrhythmia	Vaginal bleeding > 20 wks pregnant
Pelvic pain	Rectal pain	Skin rash	Tachycardia	Vaginal discharge
Pelvic pain - <20 wks pregnant	Requesting detox	Skull Fx	Tachypnea	Vaginal pain
Pelvic pain - >20 wks pregnant	Respiratory arrest	Snake bite	TB	Vertigo
Perineal injury	Rhabdo	SOB	TBI	Violent behavior
Pleuritic pain	Rhinorrhea	Sore throat	TCA OD	Vision changes
Pneumonia	Rib pain	Spider bite	Testicular pain	Visual hallucinations
Poisoning	Ruptured AAA	STD exposure	Testicular pain	Vomiting
Polydipsia	S/P Overdose	Stevens-Johnson Syndrome	Testicular swelling	Vomiting - pregnant
Polysubstance OD	S/P Suicide attempt	Stridor	Threatening behavior	VP shunt malfunction
Polyuria	S/P Wrist laceration	Suicidal at discharge	Throat pain	Weakness
Positive culture	SAH	Suicidal R/T no detox bed	Thumb injury	Weakness, L sided
Post-op complication	Scabies	Suicidal with plan	Tick bite	Weakness, R sided
Pregnancy complications	Scalp laceration	Suture removal	Tinnitus	Weight loss
Pregnancy delivered	Schizophrenia	SVT	TMJ dislocation	Wheezing
Priapism	SDH	SVT / cardioverted	Toe injury	Withdrawal
Prolapsed uterus	Seizure	SW	Toe pain	Wound infection
Pruritis	Seizure, febrile	SW, abd	Toe pain/swelling	Wound reeval
Psychiatric problem	Seizure, pregnancy	SW, arm	Toe swelling	Wrist Fx
Psychosis	Seizure, status	SW, back	Tongue swelling	Wrist injury
PTSD	Sepsis	SW, buttocks	Transfer for voluntary admit	Wrist pain
Pulmonary embolus	Seroquel OD	SW, chest	Tylenol OD	Wrist pain/swelling
Puncture wound	Shoulder dislocation	SW, foot	Ulcer(s)	Wrist swelling


FirstNet Reason For Visit

Entering a Reason for Visit Not on the List


1. Search for the Reason for Visit you need. Using **Contains** to broaden your search. If it cannot be found, **Close** the Diagnosis Search window.



2. In the Triage form, under **Diagnosis**, right-click and select **Add....**
3. Type **Other** in the **Clinical Diagnosis** field and hit **Enter** key on the keyboard.



4. Select **Other** and click **OK**.
5. In the Clinical Diagnosis window, enter the Reason for Visit you wish to display on the Trackboard in the **Annotated display** field.
6. Click **OK**.



The Annotated display which was entered will show on the Track Board.